INDEX

Page numbers printed in black-faced type refer to headings of articles or of sections. Names in lists of "Literature cited" are not included.

ABERLE, DE, S.B., 340, 380, 386
Acrydium arenosum, **159**, 160, 162, 164, 166, 169, 170
  Biology, **159**
  Color patterns, **159**, 166
    Bilateral line, 161
    Black pronotum, 161, 164
    Brown spot, 163, 164
    Chalky white pronotum, 161, 164
    Creamy white, 161
    Deep red brown, 163, 164
    Dominant, 160, **161**, 162, 164, 166, **169**, 170
    Dull yellow, 163, 164
    Genes for, **169**, 170
    Gray white stripe, 163, 164
    Inheritance, **159**, 160
    Light brown or orange striped femora, 163, 164
    Light gray pronotum, 163
    Light lemon yellow, 163
    Mahogany brown, 163
    Mottled gray or "wild-type," 161, 162, 164
    Reddish brown, 163
    Specked femora, 163, 164
    Tawny brown stripe, 163, 164
    Variable white spots, 163
    White flecked pronotum, 163
    White spot, 163, 164
    White spot femora, 163, 164
    White to brown fine line, 163
    Yellow stripe, 163
    Effects of exposure to continuous light on, **160**
    Factors, sex-linked, 169, 170
    Inheritance, 160
    Nymphs, 161, 165
    Results of pairing factors for elementary dominant color patterns, 164
ADKINSON, J., 129, 146
Agapanthus, 391
AGAR, W. C., 218
Agricultural and Mechanical College of Texas, **329**
Albinism, inheritance, in Holstein cattle, 473
Algae, 161
ALLEN, G. M., 481
ALLEN, W. J., 130
Allergy, **129**, 131–138, 140–146
  Asthma, 129–131, 134, 135, 138, 143, 144
  Bronchitis, 134, 135, 143, 144
  Cortical involvement, 131
  Dominant character, 130, 132, 138, 141–146
  Eczema, 129, 130, 133–135, 138–140, 143, 144
  Gall stones, 130
  Gout, 129, 130, 146
  Hay fever, 129, 130, 132–135, 138–140, 144
    Inheritance of, 133
  Headache
Allergy (Continued)
  Headache (Continued)
    Bilateral, 131
    Hemicrania, 131
    Paroxysmal, 131
  Identical twins, 144, 145
  Influence of environment, 133, 146
  Influence of heredity, 133
  Inheritance, **129**, 131, 134
  Migraine, **129**–136, 138–140, 143–146
    Inheritance, 145
    Sex-linked dominant, 130, 145, 146
  Symptoms, syndrome, 130
  Urticaria, 129, 130, 133–135, 138–140, 143, 144
Allium, 391
  triquetrum, 390, 393, 407
Aloe, 406, 409
  striata, 390
ALTENBURG, E., 20, 190
American Jersey Cattle Club, 416, 444, 451
Ancestry, 339, 356
ANDERSON, E. G., **53**, 58, 175, 261, 262, 278, 396, 402, 403, 407, 409, 411, 535, 548–555
ANDREWS, A. A., 386
Anemia, in man and animals, 371
Angiosperms, 99, 109
Animal Stock Breeding, Institute of, **117**
Anthocyanin, 332
  Distribution in cotton, 330, 331
  Effects of alkaline solution, 331
Antirrhinum, 518
Apotettix eurycephalus, 159–161, 164–166, 169, 170
APPERLEY, F. L., 130
Armour's Livestock Bureau, 441
Arnold Arboretum, **53**, **121**
Asthma, bronchial, 129
Atavism in Jersey Cattle, 445
Aucuba, 309
AVERY, P., **487**, 506, 511

Bacteria, 30
BAILEY, P. G., 72
BALLS, W. L., 329-331
Balyeat Hay Fever and Asthma Clinic, **129**
BALYEAT, R. M., **129**–131, 135
BARFURTH, D., 75
BARLEY, **148**
  Allelomorphic series
    Defeciens, 148, 153
    Distichon, 148, 150, 153
    Vulgare, 149, 150
  Black Hulless, 149, 150, 154–157
  Chevalier, 149–153
  Colsess V, 148–156
  Dominant gene, 150, 153
  Fertility, 149
  Gene
    Awns, 148, 149, 151, 153, 154

Barley (Continued)
Gene (Continued)
Black glume, 149
Chlorina, 150, 158
Chlorina seedlings, 148, 149, 151, 157
Covered caryopsis, 151, 154
Dull green, 148
Green seedlings, 150, 151, 154–157
Inheritance, 150
Hoods, 148, 149, 151, 153, 154
Hulled, 148, 149
Intermedium, 149, 151, 153, 157
Long-haired rachilla, 148, 149, 151, 154–156
Naked, 148, 149, 154
Naked caryopsis, 151, 154
Non-intermedium, 149, 151, 153
Non-six-row, 148–150, 153, 156, 157
Normal green, 148, 149, 154
Purple straw color, 149, 150, 156, 157
Short-haired rachilla, 148, 149, 151, 154–156
Six-row, 148–150, 153, 156, 157
Two-row, 150, 153, 157
White, 148, 149
White glume, 149
White seedlings, 154–158
Inheritance, 150
White straw color, 149, 150, 156, 157
Yellow, 148, 149
Inheritance, 148–150
Intermedium factor, 150, 157
Mendelian factor pairs
Inheritance, 149
Interrelation, 150
Minnesota, 148
Nepal, 149, 151, 152
Nilsson-Ehle No. 2, 149, 150, 156
Straw color, inheritance of, 150, 158
Trebi, 148–150, 154–156
Virescent seedlings, 151
BARTH, L. G., 288
BARTLETT, H. H., 293, 310, 312
BATESON, W., 73, 75, 86, 91, 295, 389
BAUR, E., 129–131, 133, 324
BEADLE, G. W., 261, 263, 276, 278
Begonia, cytological examinations of, 324
BELAR, K., 121, 390, 391, 406
BELIAJEFF, N. K., 114
BELLAMY, A. W., 522, 523, 526, 531, 533
BELLING, J., 28, 53, 121, 308, 309, 312, 388–390, 405
BLACKBURN, K. B., 311
BLAKESLEE, A. F., 53, 60, 308, 309, 312, 518, 536
BLANK, E., 338
BOEDIJN, K., 293, 310, 312
BOLEN, H. R., 115
BOMAN, N., 450, 451
BOND, C. J., 211, 212
BORING, A. M., 68
BOVERI, 294
BOVIE, W. T., 47
Brassica napocampestris, 311
Breeding tests, 339, 342–344, 346–348, 357–359, 361–364
BREWSTER, W., 37
BRIDGES, C. B., 18, 19, 21, 22, 25, 43, 46, 47, 114, 115, 119, 173–176, 178, 179, 255, 256, 259, 261, 272, 273, 278, 284, 285, 535, 548–555
BRIEGER, E., 95, 106, 107, 109
BRINK, R. A., 53, 60
Brooklyn Botanic Garden, 78, 229
BUCHANAN, J. A., 129, 146
BURKART, A., 288
BURNHAM, C. R., 53, 60, 61, 63
Bussey Institution, 97, 324
Butyl alcohol, 98

Cadzow Castle Park, 457
California Institute of Technology, 173, 250, 284
California, University of, 221, 224, 230, 240, 388, 487, 493, 522, 531
Camera lucida, 199
Campanula, 53, 61–67, 308
Attempts at crossing, 324
Canary, 213
Canna, 308, 309
CAPINPIN, J. M., 308
Carnegie Institute of Washington, 278, 284, 388
Carnegie Year Book for 1930, 284
CAROTHERS, E. E., 121–123, 127
Carotin, 329, 332
CARVER, W. A., 330
CASEMENT, D., 478, 479
CASTLE, W. E., 221, 233, 243, 244, 335
CATCHESIDE, D. G., 64, 65, 308
Cattle, 238, 243–247, 415, 447, 471, 479
Aberdeen, 443, 445, 446, 466–468, 471
Albinism, inheritance, in Holsteins, 473
Angus, 223, 224, 229–237, 239, 240, 246, 443, 445–447, 451, 459, 466–469, 471–474, 477
Assortive mating, 429, 430, 432, 434, 435, 437, 439
Atavism, 445
Ayrshire, 224, 229, 230–237, 239, 240, 246, 443–445, 447–451, 457, 463, 469, 470, 473–475, 477
Genetic variability in, 224, 232
Halo, 475
Beef breeds, 222–226, 231, 232, 235, 237, 239–243, 245, 247, 248
Body conformation, 222–226, 238–241, 245–248
Body length, 416, 418, 420–423, 426–432, 435–439
Brown Swiss, 443, 478
Butter fat, 421
Color gene, 442, 473
Dilution factor, 447, 455, 456, 475
Dominant white, 457
Hereford pattern, 451
Intensity factor, 447, 469, 475
Minus modifiers, 451
Recessive white, 455
Sex-limited, 443–445
Color inheritance, 441, 442, 446, 450, 479
Conformation
Inheritance, 239
Relation to milk yield, 417
Correlation

Cattle (Continued)
Correlation (Continued)
Correlation between genetic constitutions of mates, 434, 436
Correlation between genotypes of different mates, 434, 436
Dam and daughter, 433, 437
Determination of heredity by dominance deviations, 433, 436
Determination of size by common environment, 433, 436
Determination of size by heredity, 433, 436
Fraternal, 416, 433, 439
Parent and offspring, 416, 433, 439
Sire and daughter, 433
Sire and his mates, 432
Dairy breeds, 222–225, 229, 231, 232, 235, 237, 239, 240, 242, 243, 246–248
Dairy type, 415, 420, 429, 435
Depth of withers, 417, 418, 420, 422, 423, 426–432, 435–438
Dutch Belted, 463–465
English Park, 457, 458
Environment, 224
Evolution of, 415, 439
Extension factors, 452
Fat, 232, 235, 237
Feeding, 224
Fleckviehs, 451, 458–460
Fleshing, 223
Friesians, 443, 445, 466, 473, 478
Galloway, 452–454, 456
Gene
Black, 443–458, 463, 468, 469, 471–479
Black-spotting, 443, 444, 463, 468, 470, 472
In newly born calf, 443
Black tongue in Jerseys, 444
Brindle, 444, 445, 446, 455–457, 469, 472, 475, 476
Inheritance, 446
Blue-gray, 452–455
Brockle-face, 462, 463, 472
Claret, 448
Cream color, 474
Dominant white-spotting
Colorsided, 465–467
Dutch belt, 463–465
Hereford pattern, 458, 464
Inguinal white, 467, 468, 471
Dun, 447, 448, 474, 477
Fawn, 455–457, 468, 469
Hornless, 145
Lineback, 462, 476
Undesirability for breeding, 462
Pied, 464, 465
Pigmented ear, 457
Pigmented leg, 450, 457, 462, 463, 472, 473, 477
Pigmented nose, 469, 470
Black, 470
Brown, 470
Pigmented skin, 443, 456, 469, 471
Red, 442–448, 451–456, 458, 459, 463, 469, 471–473, 476–479
Cattle (Continued)
Gene (Continued)
Red-eye, 461
Red-necked, 461, 462
Roan, 451–453, 454, 455, 476, 479
Silver-gray, 455, 456
White, 449–454, 455–461, 463, 465–467, 469, 472, 475, 476, 479
White-face, 463, 472
White-head, 451
White-spotting, 443, 444, 448–451, 453–455, 457–460, 464–468, 470, 471, 473–477
White switch, 451
Whitening, 468, 477
Yellow (dilute red), 447, 448, 476
General conformation
Mature cows, 238
Muscle-skeleton index in different breeds of all ages, 239
Genetic composition of various breeds, 471
Aberdeen-Angus, 471
Ayrshire, 475
Guernsey, 477
Hereford, 475
Holstein-Friesian, 473
Jersey, 474
Shorthorn, 476
Genetic variability, 439
Groningen, 462, 463, 465
Groniger Zwartblaard, 464
Growth factors
General, 244, 245, 247
Group, 244–247
Specific, 244–247
Guernsey, 224, 229–237, 239, 240, 246, 443, 445–447, 449, 450, 461, 463, 469, 470, 477, 478
Halo, 477
Heart girth, 416–418, 420, 422, 423, 426–432, 435–438
Height at withers, 222–226, 229–231, 233–235, 238, 241–248, 416–418, 420, 422, 423, 425–432, 435–438
Height in calves, 235, 236, 237
Height in mature animals, 229, 231, 233–235, 247
Hereford, 224, 229–237, 239, 240, 246, 445, 447, 448, 455–463, 468, 470, 472, 475, 476, 478, 479
Holstein, 224, 229–237, 239–241, 245, 246, 248, 443, 445, 447–451, 459, 460, 465–470, 473, 475, 477, 478
Inbreeding, 437, 439
Influence of dam's conformation on that of her daughters, 421
Influence of selective breeding, 416
Inheritance, 415, 416, 420, 435, 439, 441, 442
Effect of unlike factors in, 421
Jersey, 223, 224, 229–237, 239–243, 246, 247, 415, 416, 419, 424, 429, 431–433, 435, 437, 439, 443–447, 451, 455, 459, 468, 469, 472, 474, 475, 477
Ancestry and history of, 415
Genetic constitution of, 415, 439
Influence of environment, 415–417, 421, 425, 427, 433

Cattle (Continued)
Jersey (Continued)
Genetic (Continued)
Influence of inheritance, **415**, 417, 420, 425–428, 433, 437, 438
"Majesty" line, 469
Relative influence of heredity and environment on conformation, **433**
Lactation, 232
Lakenvelders (See Dutch Belted)
Limburger, 451
Maxwalton Sultan, 454
Mendelian factors, 421
Milk yield, 421, 429
Morphological similarity, 229
Muscle development, 224–226, 231, **233**, 234, **235**, 237, 248
Muscle diameter (See round measurement)
Muscle-skeletal index, 225, 239–242
Native Philippine, 455, 456
Nellores of India, 455–457
Norman breed of France, 463
Nymphomaniac, 230
Paunch girth, 416–418, 420, 422, 423, 426–432, 435–438
Pembroke, 457
Post-natal development, 242
Pregnancy, 232
Pre-natal development, **242**, 243, 247, 248
Red Danish, 445, 446
Relation between dam and her daughter, 422
Relation between types of half sisters with common sire, **427**, **428**, **438**
Relation of conformation of daughter and dam, **423**, 424
Relation of conformation of full sisters, **425**, **426**
Relation of conformation of half sisters with common dam, **428**, **429**, **438**
Relation of conformation of sire and daughter, **417**, **418**–420
Environment, 419
Heredity for size, 419
Relation of height, muscle development and weight in mature animals of different breeds, **233**
Relation of size to age in assortive mating, 429
Round measurement, 223, **226**–228, **230**, **231**–235, 237, 238, 241, 243, 245–247
In calves, **235**, **236**, 237
Rump length, 416, 418, 420–423, 426–432, 435–439
Schlesischen Landvieh, 478
Segregation, 222, 231
Selective breeding, 430, 431
Shorthorn, 224, 229–237, 239, 240, 242, 244, 246, 445, 447, 449–456, 459, 461, 462, 469, 470, 472, **476**, 478
Color inheritance, age effect on, 476
Size factors, **221**, 222, 238, 244–246, 248
Size inheritance, 221, 223, 239, 246, 425, 435, 437
Skeletal development (See height at withers)
Somatic color mutations, **478**, 479
South Wales, 457
Cattle (Continued)
Swedish breed of Stjernsund, **444**, 450
Swedish mountain breed, **457**, 466
Swiss Simmental (See Fleckvieh)
Telemark (Norway) **446**, 447, 466
Troenders, 466
Volume (See weight)
Weight, 223–225, 229, 230, **232**, **235**, 238, 416, 418, 420, 422, 423, 426, 428–432, 435–438
In calves, **235**, **236**, 237
In mature animals, 229, **232**, **233**–235, 238, 244, 245
West Highland, **447**, 457
Whitehall Sultan, **454**
Width at hips, **416**, 418, 420–423, 426–432, 435–439
Cattle Club, American Jersey, 416, 444, 451
CAVE, H. W., **441**
Central Genetics Station of Narcomzem, 117, 118
Chicago, University of, 522
CHINO, M., **111**, 114, 115
Chlorophyll, 332
Chlorophyll deficiency, **148**
CHRISTIE, W., 92
CHRISTOFF, N., 96
Chromatid crossing over, **535**, 543–545, 554
Experimental and theoretical study of, **535**
Chromatin, functional, 5
CLARK, F. H., 338
CLAUSEN, R. E., 97, 311, 490, 498, 500, 502–504, 509, 515
CLELAND, R. E., 53, 60, 297
CLENCY, R., 159, 162
COLE, L. J., 446, 448, 468, 469, 472
COLLINS, G. N., 155
Colorado Agricultural Experiment Station, **148**
Congress, Sixth International Genetics, 193, 293
Conifers, polyploidy, 128
Constant hybrids, fertility, 311
Coolidge tube, 284
COOPER, D. C., 53, 60
Cornell University, **535**
Cotton, **329**, 330, 333
Anthocyanin distribution
Red leaf spot, 330, 331
Red plant color, 330, 331
Chlorophyll deficiency, **329**, 330
Egyptian, 329
Gene
Bronze, 331–333
Green, 329, **330**, **331**–333
Red, **329**–331, 333
Virescent yellow, **329**, **330**, **331**, **332**, 333
Yellow seedlings, 329
Green leaf, **331**
Inheritance, **329**
Inheritance of plant color, **329**
Mebane, 330
Red leaf, **330**, **331**, **332**
Self-fertilization, 332
Upland, 329
Virescent yellow, history and description, **330**
CRANE, M. B., 193

CREIGHTON, H. B., 388, 536
Crepis, 307, 309
CREW, F. A. E., 70, 452
CROWDER, 131
CROWTHER, J. A., 1, 5
Crustacea, crossing over in Gammarus, 93
CUTLER, D. W., 214
Cypripedium pubescens, 391
Cytology, **251**, 252

DAANE, A., 148–150, 154
Dahlia, 309
DALAND, G. A., 47
DANFORTH, C. H., 338
DARK, S. O. S., 407
DARLINGTON, C. D., 59, 61, 62, 64, 65, 121, 122, 308, 309, 313, 407, 515
DARWIN, 294
Datura, 53, 60, 61, 66, 207, 307–309, 389, 394, 410
  Nubbin, 518
  Reversed crossing over, 388, 404
  Stramonium, 312
DAVENPORT, C. B., 70, 75, 211, 212
DAVIS, B. M., **293**, 294, 298, 300, 306, 310, 313
DEAN, M., 159
Deletion, 179, 180
DEMEREC, M., 112, 116, 535
DEMING, G. W., 148, 149
Dendrocoelum, 389
DERMEN, H., 309
DESJARDINS, A. V., 40
DETLEFSEN, J. A., 473
DIEHL, D. G., 58
Differential viability, 402
Dimorphism, sexual, 70
Dispermy in animal material, 295
Dissection, 215
DOBROVOLSKAIA-ZAVADSKAIA, N., 338
DOBZHANSKY, SIVERTZEV-, N. P., **173**
DOBZHANSKY, T., 26, 46, 53, 63, **173**, 179, 180, 186, 188, 190, 251, 252, 261, 262, 278, 288, 389, 408
Dominance, incomplete, 129
DRINKWATER, H., 129
Drosera, 308
Drosophila, 5, 9, 15, 63, 115, 133, 134, 178, 180, 186–188, 190, 218, **250**, 261, 265, 269, 273, 275, 277, **284**, 532
  Abdominal tergites, disarrangement, 174, 183
  Aberrant, 32, 33, 35–37, 39, 40, 42, 45, 47–51
  Absence of crossing over in male, 93
  Blond translocation, 288
  Bobbed deficiency, cytology of, 178
  Character, sex-linked, bobbed, 173
  Chromatin elimination, 46, 50
  Chromosome splits in sperm, 409
  Crossovers and chiasmas, 400, 401, 405, 407–409
  Experiments in crossing over, **112**
  Fertility, 3
  Frequency of chiasmata in triploids, 554
  funebris, 289
  Gene, **1**, 25
    Abnormal abdomen, 133
    Apricot, 33–41, 45, 49, 50, 250
    Ascutex, 21
Drosophila (Continued)
  Gene (Continued)
    Bar, 2, 23, 38, 190, 250
    Bar-eye, facets of, 134
    Beadex, 2, 24
    Beadex-2, 258
    Bent, 112, 114, 115, 119
    Black body, 134
    Bobbed, 33, **173**, 174, 178, 179, 181–183, 185, **188**–191, 252, **254**, 255, 258, 261, 275
      Deficiency, **173**, **176**, 177, **178**–180, 182, 183, 185–189, 191
      Duplication, **173**, 177, **180**, 181, **182**–186, **188**–190
    Bristles, 174, 183–185
    Broad, 33, 181, 250, 253, 258, 287
    Bubble-wing, 287
    Carnation, 176, 253
    Chlorotic, 21
    Confluent wing veins, 286
    Crossveinless, 34–37, 41
    Curly-wing, 286
    Delta venation, 286
    Dichaete, 118
    Diminished, 46
    Dominant eyeless, 114
    Echinus, 21
    Echinus-like eye, 287
    Eosin, 284, 286, 287
    Extreme-bobbed, 174, 176, 177, 182, 183, 189
    Eyeless (Russian mutant allelomorph), 114, 115, 119, 120
    Facet, 21, 22, 36, 41, 44
    Forked, 21, 36, 41, 43, 250, 255, 258, 552
    Forked-3, 34–37, 41
    Furrowed, 21
    Fused, 21
    Gap, 111–113, 115, 116
    Garnet-2, 284, 286, 287
    Glossy, 111–116
    Gray, 39–41, 43, 49, 50
    Jagged-wing, 254
    Kurz, 181
    Lethal-VI a, 111, 116
    Lobe-2, 118
    Miniature, 2, 21, 24, 34–37, 41
    Miniature wing, 286
    Minute, 112, 285, 288, 289
    Minute IV, 114
    Mottled, 517, 519, 520
    Mottled-eye, 44
    Net, 112
    Non-bar, 185
    Non-bobbed, 181, 182, 253–255
    Non-spotted, 44
    Non-yellow, 185
    Notch, 286, 519
    Notched-wing, 44
    Pale, 112
    Parallel-sided wing, 173
    Pink-eye, 134
    Plain, 111, 116
    Plexate wing, 286
    Pointed, 284
    Prune, 181, 253, 258

Drosophila (Continued)
Gene (Continued)
Prune-like eye color, 287
Purple, 46
Red-eye, 523
Rotated abdomen, 114, 115
Rough eye, 173
Ruby, 21
Rudimentary-like wing, 287
Scute, 2, 33, 181, 250, 253, 255, 256
Scute-8, 33–41, 45, 49, 50
Shaven, 114
Short vein, 287, 289
Short wing, 173
Silver, 181
Singed, 21, 45, 286
Small bristles, 285
Small-wing, 2
Small-wing-2, 173, 175, **176**
Spotted, 44–46
Spread wing, 286
Star, 118
Star eye, 286
Stubby, 111–116
Stubby-2, 111, 116
Tan, 2
Truncate wing, 173
Vermilion, 2
White, 2, 34–37, 41, 44, 175, 253
White-eye, 45, 177
Wild, 114
Wild-fed, 134
Wild-type, 1, 27, 32, 33, 37, 523
Yellow, 21, 24, 33–41, 43–45, 48–50, 181, 182, 185, 250–256, 258, 261, 275, 287, 552
Gene rearrangement
Deletion, 520
Inversion, 520
Translocation, 520
Genes
Distribution of, in chromosome, **18–20**
Vital, 5, 6, 30
Germ plasm, 188
Gynandromorph, 32, 35, 36, 38, 41–43, 47, 48, 51
Late hatching, 174
Lethals, 3–5, 8, 10, 17, 23–25, 27–29
Linkage tests, **44**
melanogaster, 32, 114–117, 120, **173, 250,** 273, 278, 288, 290
Attachment of ends of closed chromosome, **252**
Bobbed deficiency
Cytology of, **178**
Interaction with bobbed duplications, **182**
Origin, **173**
Probable nature, **177**
Caucasus Belendzhik, 118
Chromosome IV, 115, **117,** 119
Crossing over in, 119, 120
Chromosome abnormalities, 288, 289
Comparison of closed and normal X chromosome, **258**
Cubitus, 117, 118, 120
Cubitus incompletus, 117
Drosophila (Continued)
melanogaster (Continued)
Cubitus interruptus, **117**
Genetic analysis, **118**
Double crossover frequency, **254**
Duplications for bobbed, **180**
Extra legs, 134
Fertility, 177, 254
Fertilization, 264, 267
Frequencies of all classes, **271**
Frequency of meiosis without exchange, **273**
Genovariation, **117,** 118, 120
Hereditary tumor, 133
Inversion, 177, 178
Inverted X, 269
Inviable crossovers, **261**
Inviable eggs, **269**
Linkage, 119
Mosaics due to fractional mutations, 286
Non-disjunction, 535
Normal Florida line, 117–119
Numbers of crossovers, 399, 411
"Oregon" stock, 173
Patroclinous males, **263**
Progenies of X-rayed males, 287, 290
Pupal stage, 255
Sister strand crossing over, **274**
Sterility, 250
Sterility in male, 289
Translocations, 177, 178, 180, 189, 190
Wild-type, **173,** 174, 176–186, **188–191,** 250
X chromosome, inert region of, **186–188,** 191
X-ray treatment, 289, 290
Mosaic, 34, 38, 39, 41–44, 45–48, 50
Eversporting, **44,** 45
Lethal, 48
Mosaic formation, **32,** 46
Mosaic types
Eversporting, **44**
Females, **43**
Gynandromorphs, **41**
Males, **45**
Mosaics
Experiments on treated females, **34**
Experiments on treated males, **38**
Mutant, 32, 34
Mutation
Dominant, 32
Dominant lethal, 3, 10, 14, 26–29
Dominant visible, 25, 27
Gene, 1, 4, 19, 21–24
Lethal, 10, 14–21, 23, 25, 26, 35–37, 39, 41 43
Recessive, 10, 32, **45**
Viable, 20, 29
Visible, 19, 21–23, 27, 28, 30
Position effect, 190
pseudo-obscura, **284–288**
Abnormalities, **285,** 286, 289
Absence of testes, 285
Castrated males, 285
Deficiencies, **287, 288**
Fertility, **286**
Inert region, **287, 288**

Drosophila (Continued)
pseudo-obscura (Continued)
Mosaics, 286
Sterility, 286, 287
Venation plexus on one wing, 286
Wild-type, 284, 286
X chromosome length, 284
X-ray treatment, **284**, 286–290
Sex chromosome composition, 2, 18, 21–23, 26
Sex-mosaic, 32, 35–**41**, 47, 48, 51
simulans, crossing over in, 535
Sperm, 1, 4, 8, 11–13, 25, 27
Sperm head, 6–8
Spermatogenesis of, 187
Sterility, 3, 40, 45
Theta, 33, 43, 44, 47, 48
Translocations, 286, 287, 289
Reciprocal, 53
Viability of genes, 33, 34, 288
Viability region, 519
virilis, **111**, 113, **114**–116
Crossing over, **111**–116, 535
Dot-like chromosome, **111**, 115, 116
Experiments in crossing over, **112**
Lethal, balanced, 114
Mutants, **111**, 114, 115
Rod-shaped chromosome, 111
Sterility, 114
X chromosome genetical maps, 115
DUNN, L. C., 70, 72, 75, 77, 78, 82, 83, 88–92, 211, 221, 244, 448, 449, 481, 484
Dwarfness, 222

EAST, E. M., 96, 97, 108, 110, **324**
ECKLES, C. H., 222, 226, 229, 237, 238, 247
Edwards Plateau, 55
EFROIMSON, W. P., 287
ELDERTON, 453
ELY, F. A., 130
EMERSON, S. H., 53, 263, 276, 278, 294, 297
Endocrine, sex, 129
Environment, 133, 134, 146
ERLANSON, E. W., 309
ESGUERRA, J. P., 455
EVVARD, J. M., 452–454
Experimental Biology, Institute of, **117**–119

Family history, 131, 132
Fertility, 3, 56, 57, 66, 108, 110, 149, 177, 327
Fertility of constant hybrids, 311
Fertilization, 46, 49, 95, 96, 104, 105, 107, 109
FETSCHER, R., 130
FISCHER, 129–131
FISHER, R. A., 433
Fixative
Allen's modification of Bouin's fluid, 97, 296
Allen-Bouin killing fluid, 199
Bouin solution, 7, 296
Brazilin, 493
Carnoy's solution, 493
Chromic-acetic-formalin, 390
Darlington's modification of Flemming's fixatives, 123
Flemming's mixture, 408
Iron-aceto-carmine, 493
La Cours', 123

Fixative (Continued)
Navaschin's fluid, 123, 179, 392, 408, 493
Strong Flemming, 296
Zenker's fluid, 296
Flies, 267, 269–271, 276
Flowering plants, **388**
Adjacent chiasmas, **397**
Attached and Ring X chromosomes
Attached X's and crossing over, **400**
Ring X's and crossing over, **403**
Break and join of chromonemas, **394**
Chromioles formed by secondary split, **393**
Crossing over in, **388**, **391**, 394, 407, 410
Direct chiasmas, **396**
Double chiasmas, 411
Gene rearrangement in, **388**, 410
Deficiency in, 389, **405**, 407, 410, 411
Deletion, 388, 394, **405**, 407, 410, 411
Insertion, 389, **405**, 407, 411
Inversion, 388, 394, **405**, 407, 410, 411
Reciprocal translocation, 388, **404**, 410
X-ray, caused by, 388
Reversed crossing over, 388, **404**, 410, 411
Translocation, 388, 394, **404**, 407, 411
Hypotheses, **389**
Hypotheses of crossing over
Gene rearrangement, **388**
Interchange, 394, 407, 410
Karyologic evidence, **390**
Oblique chiasmas, **397**
Opening-out at diplotene, **393**
Origin of chiasmas, **394**, 406, 410, 411
Division of chromomeres, **394**
Overlaps of homologues, **395**, 411
Proportion of chiasmas to crossovers, **398**–403
Smear preparations, 390, 391
X-ray as cause of point mutation, 409
FOLGER, 248
Food hypersensitiveness, 131
Fowl, **68**, 76, 77, 80, 83, 86, 88, 90, 92, 211, 212, 222
Ancona, 85
Autosomal factors, **68**, 71
Autosomal linkage, 77, 80, **82**, 83, 89
Backcross in female
Coupling phase, **85**
Repulsion phase, **83**
Backcross in male
Coupling phase, **85**
Black Langshan, 212
Black Minorca, 212
Black Orpington, 212
Brown Leghorn, 88, 212, 213
Buff Orpington, 212
Characters, association of, **76**
Chromosomal complex, **68**
Cochin, 72
Color (melanin), 83–86
Columbian, 212
Columbian Plymouth Rock, 210, **213**, **214**, 219
Crossing over, influence of sex on, **92**, 93
Dark Brahma, 212
Eye color, range and distribution of, 211
Gene
Bar, 210, 213, 218, 219

Fowl (Continued)
Gene (Continued)
Black, 71, 91, 212, 214
Black eye, 211
Black plumage, 211, 212
Blue, 78, 82, 91
Bluish-white shank, 213, 214
Brown eye, 212, 213, 215
Brown-in-down, 218, 219
Cerebral hernia, 78, 82, 83, 88, 92, 93
Comb, 212
Creeper, 68, 77, 78, 82, 89, 91
Crest, 69, **75**, 77–80, 82, 83, 87–90, 93
Dark blue shank, 210, **211**–213, 215, 219
Dark eye color, 210, 213, 215, 218
Dark iris color, 210, **211**–213, 219
Dominant white, 69, **76**, 78–80, 82, 83, 85, 88, 90, 93
Down color, 210, 212–214
Dark, 214, 216
Pale, 214, 216
Down striping, 214, 216
Ear-Lobe, 210, 212, 216
Egg color, 210
Fast feathering, 210, **211**, 213, 215–217, 219
Flecked, 212, 214
Frizzled, 82–87, 89, 93
Gold, 210, **211**–216, 219
Head-spot, 218, 219
Hen feathering in the male, 210
Leg-feathering, 69, **72**, 73, 77, 79, 80, 83, 91, 92
Light eye color, 210, 215, 218
Light iris color, 210, **211**, 212, 214, 216, 219
Light shank color, 210, **211**, 214–216, 219
Marked, 212
Muff and beard, 91
Multiple point comb, 92
Naked-neck, **69**, 70, 78–80, 82, 83, 91
Viability in, 70
No crest, 83, 88, 92
No inhibitor (of melanin), 83
Normal skull, 83
Pattern, 210, 214
Peacomb, 69, **74**, 79, 80, 83, 91
Plumage color, 212
Polydactyly, 69, **75**, 77–80, 82, 83, 90–92
Recessive white, 83, 91
Red, 84
Rose, 74
Rose comb, 68. 69, **73**, 77–80, 82, 83, **89**, 91–93
Rumplessness, 69, **70**, 71, 79, 80, 83 91
Shank color, 212–215, 218, 219
Silky, 91, 92
Silver, 210, **211**–217, 219
Single comb, 73, 74, 83, 89
Single-spike comb, 92
Skin color, **71**, 77, 212
Slow feathering, 210, **211**, 213–217, 219
Spangling, 216
Split comb, 78, 91
Tine-atine, 214
Walnut comb, 74
White, 212, 213, **456**

Fowl (Continued)
Gene (Continued)
White shank, 83, **89**–91, 93
White skin, 69, 71, 72, 79, 80, 83–86
Yellow eye, 212–215
Yellow shank, 83, 89
Yellow skin, 71, 72
Gold Campines, 210, 212–**214**, 219
Hamburgh, 212
Inheritance in, 211, 212
Iris color
Duplex, 211
Simplex, 211
Triplex, 212
Langshan, 72
Light Brahma, 72–74
Linkage, 68, 76, **77**, **78**, **82**, 86, 87, 90, 93
Linked gene arrangement, **87**
Malay, 212
Pheasant, 214
Rhode Island Red, 84, **213**
Sebright, 212
Segregation, 212–**214**, 215
Sex chromosome, 68, 93, 216, **217**–219
Localization of, 210, **217**–219
Topography, **217**
Sex-linked genes, 82, **210**, 212–**216**, 219
Crosses made, **213**
Linkage relations, **215**, **216**
Silky, 212, 213
Silky Bantam, 72, 75
Silver Campine, 213, 214
Somatic segregation, 211
Spangled Hamburgh, 212, 213
White Leghorn, 76, 83, 221, 238, 244
White Orpington, 83–85
White Silkies, 456
Fragaria, 108
bracteata, 311
Helleri, 311
FRANDSEN, H. N., 311
FRASER, A. C., 522, 525, 526, 531–534
Fritillaria, 392, 408, 409
Sequence of primary and secondary splits, 389
FROST, H., 536
Funaria, 536
FUNKQUIST, H., 444, 450, 451

Gagea, 294
GAIRDNER, A. E., 59, 61, 62, 64, 65, 308, 324
Gallus domesticus (See Fowl)
Galton and Mendel Memorial Fund, 53, 121, 159, 250
Galtonia, 391
Gammarus chevreuxi, 115
GÄNSSLEN, 129, 131, 146
GATES, R. R., 293–295, 307, 308, 310–312
GAY, E. H., 1
GEERTS, J. M., 294, 308
GEIGY, R., 285
GELEI, J., 389, 390, 405
Gene number
Drosophila melanogaster, 410
Lilium, 410
Phrynotettix, 410
Genetical map, 115

Genetics, **82**, 88
Genetics, Central, Station of Narcomzem, 117, 118
Germination, methods of, **295**
GILMORE, K. A., 535
GONZALEZ, B. M., 455
GOODALE, H. D., 210
GOODSPEED, T. H., 97, 311, **487**, 488, 490, 502, 504, 506, 511, 513
GORDON, M., 522, 523, 525, 526, 531–534
GOSS, H., 243
Gossypium arboreum, 330
barbadense, 329, 330
hirsutum, 329–331
GOWEN, J. W., 1, 269, **415**, 467, 468, 477
Grasshopper, 393, 410
GRAUBARD, M. A., 261
GRAVES, R. R., 223
GREEN, C. V., 222, 244–246, **481**
GREGORY, P. W., **221**, 243
GRIFFEE, F., 149
Grouse locust (See *Acrydium arenosum*)
GUILBERT, 248
Guinea-pig, 222, 484
Tortoiseshell, 473
GUYÉNOT, E., 269

HAAGE, 324
Habrobracon, 535, 536
HADLEY, P. B., 86, 91
HAIGH, L. D., 226, 232, 237
HAKANSSON, A., 308, 313
HALDANE, J. B. S., 210, 218
HAMMETT, F. S., 243
HANCE, R. T., 47, 68, 210
HANCOCK, 159
HANSON, F. B., 10, 15, 288
HARLAN, H. V., 149, 150
HARLAND, S. C., 329
HARRIS, 453
HARRIS, B. B., 288
HARRISON, J. W. H., 311
HART, 248
HARTWIG, N., **159**
Harvard University, 53, **95**, **324**, 335, 338
HAYES, H. K., 149, 150
HEITZ, E., 326
Hemerocallis, 308
Hemoglobin content, human standard, 379, 387
HERIBERT-NILSSON, N., 106, 293, 312
HERTWIG, P., 68, 210, 215–218
HEYS, F., 10, 15
Hibernation, 160
HOGE, M., 134
HOOPER, J. J., 444, 451
Hordeum distichon nigrinudum, 153
HORLACHER, W. R., **329**, 478, 479
HUETTNER, A. F., 46, 269
Human constitution, 435
HUMPHREY, L. M., **193**
HUNGER, F. W. T., 293
HUNT, H. R., **335**, 340, **367**, 370, 383
HUTT, F. B., **82**, 83, 91, 92
HUXLEY, J. S., 115
Hyacinthus, 307–309, 391
Hybridization, 95
Hydrocephaly in mouse, 338
Hypericum, 53
Hypothesis of modifying factors, 354

IBSEN, H. L., **441**, 450
ICHIJIMA, K., 311
IMMER, F. R., 151
Immersion oil, 392
Immunological relations, 106
INARIYAMA, S., 309
INGERSOLL, E. H., 159
Inheritance, **129**, **148**, 150, 157, **159**, **415**, **441**
Institute
Rockefeller, for Medical Research, **415**
Zoological, of Moscow State University, **117**
Institute of
Animal Stock Breeding, **117**
California, Technology, **173**, **250**, **284**
Experimental Biology, **117–119**
International Livestock Exposition of 1931, 472
Interrelation, **150**, 151, 154, 156, 157
Iowa State College, **193**
ISHIKAWA, M., 294

Jackson, Roscoe B., Memorial Laboratory, **481**
JANSSENS, F. A., 121, 122, 389
Janssens' hypothesis, 121, 122, 127, 128, 389, 405, 410
"Partial chiasmatypy," 121, 122, 127
Janssens' theory of crossing over
Objections and replies, **405**
Jersey, Cattle Club, American, 416, 444, 451
John Innes Horticultural Institution, 295, 298
Johns Hopkins University, 415
JONES (See MARSDEN-JONES)
JONES, S. V., 472
JORDAN, A., 130
JORGENSEN, C. A., 193, 199, 201–203, 207, 308, 309, 311
JULL, M. A., 72, 75, 77, 78, 82, 88–92

Kansas Agricultural Experiment Station, **68**, **159**, **441**, 448, 449
Kansas State College, 441, 472
KARPER, R. E., 330
KAUFMANN, B. P., 390
KAYE, G. W. C., 2
KEELER, C. E., 481
Kenilworth ivy (See *Linaria Cymbalaria*)
Kerchoff, William G., Laboratories of the Biological Sciences, 278
KIKKAWA, H., **111**, 114
KILLOUGH, D. T., **329**
KLEIN, A., 47
KNOX, C. W., 72
KOLTZOFF, H. K., 117
KOMAI, T., 116
KOONCE, D., 148, 149
KOOS, K., 193, 199, 309, 311
KOSTOFF, D., 95–97, 106–108
KRAPKA, J., 134
KRUMHOLZ, G., 95, 98
KUHLMAN, A. H., 232, 444, 474
KUIPER, K., 457, 462–465
KULENKAMPFF, H., 6
KULKARNI, C. G., 294, 296–298, 300, 306, 313

LAGSDIN, J. B., 1
LAMBERT, W. V., 72
LANCEFIELD, D. E., 284, 287
LANDAUER, W., 77, 82, 83, 88, 89, 91, 92
LANG, A., 451, 458
Larix, **121, 123,** 125, 127, 128
  Chiasma formation, **121**–123, 125–128
  Chiasma frequency in, 128
  Chiasmata and chromatids, **123**
  Crossing over, 121, 128
  decidua, 123, 125
  eurolepis, 123–125
  Kaempferi, 123–126
  Terminalization, 128
LARSON, I., **159**
Lathyrus odoratus
  Chiasma formation, 123
  Crossing over, 123
LAUPRECHT, E., 449, 473, 478
LAWRENCE, W. J. C., 309
LEAKE, H. M., 330
LEE, A., 435
LEFEURE, G., 213
LENZ, 129–131
LESLEY, J. W., 201, 203, 309
LESLEY, M. M., 199, 201, 203, 308, 309
LEVIT, S. G., 33
Levy-Hauser counting chamber
  Double, 373
  Single, 373
LI, J. C., 178, 188
Lilium, 391, 396, 408, 409
  Chiasma, **396, 397**
  pardalinum, 394, 395
  regale, 390, 392
  Sequence of primary and secondary splits, 389
Linaria, **324**, 327, 328
  aparinoides, 325, 326
  Artificial parthenogenesis, 327
  bipartita, 324, 327
  Broussonnetii, 325–328
  canadensis, 324
  Cymbalaria, 324–327
    alba, 324, 327
    compacta, 324, 327
    globosa, 324, 327
    Sexual incompatibility, 327
    vulgare, 324, 327
  dalmatica, 325
  delphinioides, 326, 327
  Fertility, 327
  Gene
    Carminea, 327
    Purple, 327
    Yellow-flowers, 328
  Gene for intensity, 327
  Genetic differences affecting flower color, 327
  Genetic observations, **324**
  genistifolia, 325
  Hendersonii, 325, 328
  heterophylla, 325, 326
  macedonica, 325
    nymphe, 325
    speciosa, 325
  macroura, 325–327
  maroccana, 325–327
Linaria (Continued)
  multipunctata, 325, 327, 328
  Pancicii, 326, 327
  Perezii, 325–328
  reticulata, 325–327
  sapphirina, 326, 327
  Sexual compatibility, 328
  Sterility of hybrids, 328
  Tournefortii, 326
  triornithophora, 326
  triphylla, 326, 327
  vulgaris, 325–328
LINDEGREN, 536
LINDSTROM, E. W., **193**–195, 199, 309, 311, 452
LINK, 325
Linkage trials, 92
LITTLE, C. C., 481, 482
Locust (Paratettix), crossing over, 93
LUSH, J. L., 445
LUTZ, A. M., 294, 307
Lycopersicum, 207
  esculentum, 193, **195**–197, 199–201, **202**–206, 208
    Character
      Flowers, 205
      Fruit, 205
      Leaf, 205
      Seed, 205
      Stature, 205
      Stem, 205
      Trichome, 205
    Chromosome doubling, 194
  pimpinellifolium, 193–**195**, 197–200, 202–206, 208
    Fruit size, 195, 197
    Variety
      Red Currant, 193, 195, 197
Lycoris, 309

MACARTHUR, C. G., 210
MACARTHUR, J. W., **210**
MCCANDLISH, A. C., 465
MCCLINTOCK, B., 53, 60, 179, 308, 309, 388–390, 393, 405, 407, 408, 410, 493, 536, 543
MCCLUNG, C. E., 121, 122
McClung theory, 121, 122, 127, 128
MCCRAY, F. A., **95**
MACDONALD, A., 248
MACDOUGAL, D. T., 293
MACDOWELL, 244
MCLENDON, C. A., 330
MAEDA, T., 121, 123
MAHONEY, C. H., 329
Maize, 218
  Crossing over, 536, 554
  Deficiencies, 393
  Genetics, 88
Mammal, 211, 213, 221, 222, **243**, 481
  Eye and hair color, interrelation of, 213
  Nature of growth factors, **243**
  Size inheritance, 222
Man
  Evolution, 415
  Forearm length, 433
  Span, 433
  Stature, 433
MANRESA, M., 455, 456

MARSDEN-JONES, E. M., 311
MARSHALL, 325
MARTENS, P., 391
MASON, 112
MATHER, 554
MATHEWS, H. W., 448
Maturation, 46
MEAD, 224, 248
MENDEL, G., 390
Mendelian dominant, 523
Mendelian factor
  Inheritance in barley, 149
Mendelian factor pairs
  Interrelation, **150**, 151, 154, 156, 157
Mendelian genes
  Attraction in tetraploids, 207
Mendelian ratio, 495
Mendelian recessive, 500, 519, 526
Mendelizing difference, 21
Mercury vapor lamp, 160, 161
METZ, C. W., 112, 115, 187
MEURMAN, O., 309
Michigan State College, **335**, 338, **367**, 371
Michigan, University of, 58, **293**
MILLER, F. W., 223
Minnesota Agricultural Experiment Station, 82
Minnesota, University of, **82**
Missouri Agricultural Experiment Station, 232, 237
MIXTER, R., **335**, 340, 342–344, 357–359, 361, **367**, 370–373, 382–384, 386
MOFFETT, A. A., 309
MOHR, O., 46, 178, 179, 186, 487
Monobromide of napthalin objective, 410
MORGAN, L. V., 43, 179, **250**, 251, 261, 403, 411, 519, 535
MORGAN, T. H., 18, 19, 21, 22, 25, 43, 47, 114, 115, 133, 173, 174, 176, 178, 179, 285, 388, 399
Morphology, 27
Morus, 307
Mosaicism, 487
Moscow State University, **117**
MOSES, 112
MOULTON, C. R., 226, 232, 237
Mouse, 222, **335**, 342, 364, **367**, 372, 373, 379–**381**, 383, 387, **481**
  Ancestry, effect of flexed, 356, **357**
  Anemia
    Hereditary, 340, 386
    In newborn, 340, 346, 349, 351, 367, 369, 380, 384
    Inheritance of, **367**, 368, **369**
    Recovery from, before birth, 385
  Backcross, **344**
  Breeding tests, 339, 342–344, 346–348, 357–359, 361–364, 368
  Crossing over, 93
  Deficiency, 179
  Differential death rate, 353
  Distribution of offspring, **482**
  Environmental factors in embryonic development, 350
  Eye defects, 338
  Flexed×Flexed matings, **340**
  Flexed gene linkage relations, **362**
  Flexed×normal matings, **344**
Mouse (Continued)
  Flexed tail in, **335**, **337**, 339, **340**–343, **344**, **345**–348, **349**–359, 361–365, 367–**378**, 379–382, 383–387
    Deficiency in F_2 generation, 339, 340
    Inheritance, 338, 356, 359, 361, 368, 370
    Inheritance, grade of flexure, **355**
    Mendelian recessive, 338–340, 350, 351, 367, 368, 387
    Result of hereditary and environmental influences, 362
    Variability, 335, 338, 343, 348, 355, 358, 365, 380, 383
  Flexed tailed
    Anemia in, 338, 340–342, 344–346, 349, 350, 352, **367**, 368, 370, 371, 373, 377, 379–381, 383, 386, 387
    Blood of, **371**, 372, 374–382, 386
    Embryological development and morphology, 338
    Frequency distribution of hemoglobin, **378**, 386
    Frequency distribution of red blood cells at birth, **376**
  Gene
    Albino, 362–365
    Anemia, 383
    Bent-tailed, 338
    Black, 245, 482
    Brown, 245, 481, 482
    Chinchilla, 364
    Colored, 363, 364
    Dark-eye, 364
    Extreme dilution, 364
    Filiform-tailed, 338
    Flexed, 356, **362**, 363, 365, 371, 383
    Full color, 364
    Helicoid, 338
    Kinky-tailed, 338
    Non-shaker, 364
    Pink-eye, 364
    Shaker, 364
    Tailless, 338
    White, 340, 380, 386, 482, 485
  Genetic constitution of straight-tailed progeny of flexed crosses, **349**
  Genetic origin of flexed and anemic, **383**
  Growth factors, 244–246, 248
  Hereditary weakness, 348
  Heredity, 484, 486
  Inbreeding, 484
    Experiments, 340, 357–**360**, 361, 386
    Factor in suppressing reproduction, 358
  Inherited abnormalities, 355
  Mendelian mechanism of inheritance, 351
  Mortality of flexed, **386**
  Pale color in newborn flexed, 373, 379, 386
  Postnatal death rate, 347, 348, 365, 367
  Prenatal death rate, 347, 348, 365, 370, 371
  Short-tail, 340–344, 355, 357–360
    Inheritance of, 343, 355, 365
  Sterility, 358
  Uncertainty of classification of tails at birth, 384
  Uterine environment of normal controls, 377
  Ventral spotting, **481**–485
    Birth rank, influence of, 485, 486

Mouse (Continued)
Ventral spotting (Continued)
Influence of parents on, 483–486
Inheritance of, **481**, 484–486
Time of year, influence of, **485**, 486
Waltzing mouse, 338
White spotting
All white, 481
Black-eyed white, 481
Blaze, 481
Piebald, 481, 484
White on tail, 481, 482
White tail tip, 481, 482
X-ray experiments on germ plasm, 338
MULLER, H. J., 1, 15, 18–20, 22, 23, 27, 34, 114, 115, 179, 180, 186, 190, 261, 269, 284, 287–289, 388, 516, 520
MULSOW, 409
MURRAY, J. M., **481**
Mus bactrianus
Size inheritance, 244, 245
Mus musculus, **335**, **367**
Size inheritance, 244, 245

NABOURS, R. K., **159**, 160, 161, 164, 169, 170
NAGEO, S., 309
Narcissus, 309
Narcomzem, Central Genetics Station of, 117, 118
National Research Council, 487
NAVASHIN, M., 309
NAVILLE, A., 269
NEMEC, B., 294
Neurospora, 536
NEWTON, W. C. F., 121, 296, 309, 311
Nicotiana, **95**, 96, 99, 100, 106–109
brasilia, 96, 99–101, 103
Cuba, 107
digluta, 311
Embryo development, **95**
Fertility, 108, 110
Fertilization, 95, 96, 98, 104, 105, 107, 109
glauca, 96–103, 108, 109
Hybrids, **95–97**, 100, 102
Langsdorffii, 107
longiflora, 96, 100, 101, 109
nudicaulis, 96, 100–105, 109
Palmeri, 96, 100–102, 109
paniculata, 97, 99, 100, 102–105, 107–109
Pollination, 95, 97, 99, 100, 103
purpurea, 96, 100, 487, 489
Rusbyi, 96, 100–103, 107, 109
rustica, 96, 98–103, 105, 109
sanguinea, 97, 100, 102
Sterility, 108
suaveolens, 96, 99–105, 109
tabacum, 96–98, 100–105, 107, 109, **487**, 488, 493, 509
Attachment, 506
Fertilization, 506
Gene
Carmine, 499–501, 506, 513, 516, 519
Control, 489, 490, 495, 498, 499, 501, 503–506, 512, 513, 520
Coral, 499–501, 506, 513, 516, 517, 519
Deformed, **487**, 488, 490, 493–496, 498–506, 509, 510, 512–520

Nicotiana (Continued)
tabacum (Continued)
Gene (Continued)
Deformed (Continued)
Classification of progenies from, 491, 496
Cytogenetics of, **487**
Cytological evidence of, **506**, 517
Derivation of progenies from, 490
Dissected limb, 488, 489
Flower lengths in populations, 497
Genetics of, **493**, 517
Progenies of normal from, 505
Tissue abnormalities, 490
Transmission of, 494
Transmission of *fluted* from, 501
Transmission of types derived from, 494
White-flecked, 488, 489, 506
X-ray derivative, **487**
Deformed and *carmine-coral* crossed with *coral*, 500
Enlarged, 504, 505
Fluted, 487, 490, 496, 498–506, 512–518
Large-lax, 498, 503, 505
Long-flowers, 490, 495, 496, 498–505, 512–516, 518, 519
Transmission of, 503
Mammoth, 490, 494–496, 502–506, 514–518
Normal, 490, 498, 500–503, 505, 506, 513, 515
Super-enlarged, 504
Super-long-flowers, 499, 504, 505, 515
Inheritance in, **487**
Restitution nuclei, 513
Sex-cell treatment by radium, 487
Sex-cell treatment by X-ray, 487, 488, 490, 506, 519
Variations, 488, 506
NILSSON-EHLE, H., frontispiece, xi 1

OEHMCKE, R. R., 448
Oenothera, **293–295**, 298, 303, 307–310, 312, 313
ammophila, 308
atrovirens, 293
Berteriana, 312
biennis, 293, 307, 308, 310, 311
biennis cruciata, 293, 307, 311
biennis cruciata gigas, 311
biennis cruciata gigas sulfurea, 293
biennis gigas, 311
Dwarfs, 312
Chromosome segregation, irregularities, 300, 308, 314
Cytology of triploid, **302**
Dispermy, origin of triploids through, 294, 295
Embryo size, 95, 98
franciscana, 293–298, 300–302, 304–310, 313, 314
Bud cone color
Green, 296
Red, 296
Cytology of tetraploid, **293**, 294, **305**, 308
Genetics of tetraploid, **293**, 294, 308
Inheritance

Oenothera (Continued)
franciscana (Continued)
Inheritance (Continued)
Color of bud cones, 296
Petal color, 296
Stature, 296
Tetraploid from, 293
franciscana gigas, 297, 299
Pollen size, 300
franciscana sulfurea nana, 295–298, 301, 313, 314
Gene
Broad bud cones, 300
Capsules short and thick, 300
Color
Sulfur, 296–298, 301, 313
Yellow, 296–299, 301, 313
Large flowers, 300
Leaves large and thick, 300
Narrow leaves, 299, 301, 304
Small flowers, 299, 301, 304
Stature
Dwarf, 296–301, 304, 312, 313
Tall, 296–298, 301, 313
Genetics of triploid and tetraploid, 296
Germination, 295, 298, 314
gigantea (Swedish), 312
gigas, 293, 307, 308
Fertilization, 294
gigas nanella, 293
grandiflora, 293, 310, 312
Hero plants, 294, 297, 298, 310, 313
hirtella, 293
Hypothesis of chromosome doubling, 312
Independent segregation, 297
Irregular distribution of chromosomes, 303–307, 309, 310
Lamarckiana, 60, 293–295, 307, 308, 310
Swedish, 293
Triploid derived from, 294
Lamarckiana excelsa, 308
Lamarckiana gigas, 293, 302, 310, 312
lata, 293, 307, 308, 310
lorea, 312
nutans, 294
ochracea, 312
odorata, 312
Origin of constant species-hybrids, 295, 311
Origin of tetraploid, 294, 296
Origin of tetraploid from diploid, 310–313
Origin of tetraploid from triploid, 310
Pedigree of triploid and tetraploid, 301
Pollen fertility, 315
Pollen formation, 294
Pollen sterility, 309, 314
pratincola, 293, 310, 312
pycnocarpa, 294, 308
Ring formation, 53, 61, 63, 65–67
Ring-forming species, 310
rubricalyx, 307
semigigas, 293, 294, 308, 310
simplex, 293, 310
simplex nanella, 310
Stability of tetraploid, 307
stenomeres, 293, 310, 312
Sterility in seeds, 295, 302
sublinearis, 293
Suppression of divisions of meiosis, 312, 313, 315
Tetraploid
Endo-duplication, 311
Fertility, 312
Hypothesis of chromosome doubling, 311
OFFERMAN, C. A., 261, 269
OGURA, S., 190
OKABE, S., 309
Oklahoma, University of, 129
OLBRYCHT, T. M., 175, 255, 256, 259
OLIVER, C. P., 15
Orthoptera, 121, 127
Chiasma formation, 122

Paeonia, 122, 127
PAINTER, T. S., 26, 34, 179, 180, 186, 187, 288, 388
Palermo Botanic Garden, 293, 312
Papaver, 313
Paramecia, 47
Paratettix texanus, 159–161, 164–166, 169, 170
PARLOUR, W., 446, 468
Parthenocarpy, 107, 108
Pathology, 27, 29
PATTERSON, J. T., 32, 33, 37, 41–45, 47, 114, 115, 286, 288, 289, 409, 410, 517, 519
PEARL, R., 103, 444
PEARSON, K., 433, 435
PEASE, M. S., 75
PELLEW, C., 61, 311
PERMAR, D., 335, 338, 339, 340, 343, 344, 350, 351, 367, 370, 383
Petri dish, 1, 295
Petrolatum, 194
PETROV, S. G., 68, 77–80, 82, 83, 91, 92
Petunia, 108, 307, 309
violacea, 107
Philippines, 455
Phrynotettix, 406
Pigeon, crossing over in, 92
Pisum, 53, 61, 62, 66
PITT, F., 447, 448, 460–462, 470, 476
PLATE, L., 338
Platypoecilus maculatus, 522, 526, 531
Abnormal distribution of sex factors, 534
Crossing over, 531, 533, 534
Character
Gold, 522–526, 528–530, 533
Description of, 522
Hereditary behavior, 522, 526
Nigra, 523, 526, 528–534
Pulchra, 523, 526, 528–532, 534
Rubra, 523, 525, 526, 528–533
Wild-type, 523–525, 528–530, 532–534
Fertilization, 533
Gene
Blue, 522
Non-red, 523, 525, 526, 532
Non-spotted, 525, 526, 531–533
Non-stippled, 523
Orange, 522
Red, 522, 524–526, 531–533
Silver, 522
Spotted, 522, 523, 525, 526, 531, 532, 534
Stipples, 522–524, 532

Platypoecilus maculatus (Continued)
Gene (Continued)
White, 523, 532, 533
Wild-type, 532, 533
Yellow, 522
Non-disjunction, **531**
PLOUGH, H. H., 269
Poeciliinae, **522, 531**
Bionomic studies on certain teleosts, **522, 531**
Point-mutations, 177
Pollen fertility, 60, 63
Pollen sterility, 53, 57–61, 63, 66
Pollination, 95, 97, 99, 100, 103
Polyploidy, 128
POUND, E. O., 448, 461, 469
Primrose, 133
Primula
Kewensis, 311
sinensis, 309
PRINCE, S. F., 159, 162
Protein, 130–133
Protein molecule, 29, 30
Prunus, 309, 313
PUNNETT, R. C., 72, 75, 86, 91, 210, 212
Pyrus, 309

Rabbit, 233, 238, 242–244
Growth, 221, 222, 246, 248
Radiotherapy, 40
RANDOLPH, 417
RANDOLPH, L., 308
Rat, crossing over in, 93
REDFIELD, H., 535, 545, 547–549, 551, 553–555
REEVES, R. G., 329
REGAN, 248
RENNER, O., 294
RESSOVSKY (See TIMOFÉEFF-RESSOVSKY)
RHOADES, M. M., **535**, 552
Rhoeo, 53, 59–62, 66, 406, 408
discolor, 53, 59, 390, 391
Pollen sterility, 59
RICHARDS, M. H., **129**
RIDDELL, W. H., 450
Ridgway Plate 1, 522
Ridgway Plate 7, 522
Ridgway Plate 17, 148
Ridgway Plate 30, 522
RINKEL, H. J., 131
RITTERHAUS, T., 68, 210, 215, 216, 218
ROBERTSON, D. W., **148–150**, 153, 154
ROBERTSON, T. B., 103
ROBERTSON, W. R. B., 121, 122, 169, 170, 390
Rockefeller Foundation, 193
Rockefeller Institute for Medical Research, **415**
Rosa
relicta, 309
Wilsoni, 311
Roscoe B. Jackson Memorial Laboratory, **481**
Royal Jersey Agricultural Society, 415
RUCKER, E. H., 213
Russian thistle, 133

SABROSKY, C., 161
Salix
caprea, 106
Fusion of homoeotypic spindles, 313
viminalis, 106
Fusion of homoeotypic spindles, 313
SANDERS, A. H., 457
SANSOME, E. R., 61
SANSOME, F. W., 206, 311
SARAO, F. B., 455
SAUNDERS, E. R., 75
SAX, H. J., **121–123**, 127, 128
SAX, K., **53**, 59, 61, 63, 121, 389
Saxifraga Potternensis, 311
SCHMIDT, 324
SCHNEIDER, M., 448, 449
SCHOUTEN, A. R., 293
SCHULTZ, J., 115, 173, 178, 269, 270, 278, **284**, 285
SCHWEMMLE, J., 312
Scilla, 391
sibirica, 390
Segmental interchange, **53**, 60, 67
SEKIGUTI, K., 43
SEREBROVSKY, A. S., 68, 72, 77–80, 82, 83, 91, 92, 210, 211, 214, 215, 217, 218
Sex, influence on crossing over, **92**
Sex ratio, 3, 8, 12–14
Sexual dimorphism, 70
SHARP, L. W., 390
SHEARER, P. S., 452
SHIWAGO, P. J., 68
SHOEBROOK, J., 459
Silkworm, 115
Crossing over, 92, 93
SIMONET, M., 324
SIPE, G. R., 82, 87, 92
Sixth International Congress of Genetics, 193, 293
SMITH, A. D. B., 452, 454
SMITH, J., 129
Solanum, 307–309
Decapitation of stems, 311
lutum, 207
nigrum, 207
STADLER, L. J., 23
Stain
Aceto-carmine, 53, 54, 408, 493
Aceto-haematoxylin, 53
Crystal violet, 493
Crystal violet iodine, 123
Flemming's triple stain, 123
Gentian violet, 372
Gram method, 296
Haidenhaim's haematoxylin, 97
Hyrax, 391, 410
Iron-aceto-carmine, 390
Iron alum-haematoxylin, 199, 296, 493
Iron-brazilin, 390–392, 408
Iron-haematoxylin, 7, 408
STEERE, W. C., 309, 493
STEIN, E., 487, 493, 518, 519
Stenobothrus, 407
Sterility, 56, 57, 108, 114
STERN, C., 26, 43, 46, 174, 189, 190, 258, 388, 536
STEVENS, M. M., 68
STOMPS, T. J., 293, 294, 307, 310, 312
STONE, W. S., 269
STOTTLEMEYER, 248
STRASSBURGER, 294
STROMAN, G. N., 329
STUDY, 129, 131, 146

STURTEVANT, A. H., 16, 18, 19, 21–23, 25, 53, 114, 115, 173, 174, 176, 179, 190, 261, 271, 274, 278, 388, 402, 535
Sulphydryl, 243
SUMNER, F. B., 222, 244
Suppression of heterotypic division, 312, 315
Suppression of homoeotypic division, 312, 313
SUTTLE, A. D., 82, 87, 92
SUTTON, W. S., 390
Sweet pea, 218
SWETT, W. W., 222, 223, 226, 229, 238, 247

TAKAHASHI, W., 493
Tallquist color scale, 373
Tallquist method in hemoglobin determinations, 379
TANAKA, Y., 115
Telmatettix aztecus, 159
TEMPLETON, G. S., 472
TERENTIEVA, E. L., **117**
Terminalization, 65
Tettigidea parvipennis pennata, 159
Texas Agricultural Experiment Station, **329**, 330
Texas, University of, **32**
THADANI, K. I., 330
THOMPSON, W. P., 313
Thymonucleic acid, 30
TIMOFÉEFF-RESSOVSKY, H. A., 289
Timothy, 133
TINIAKOW, G. G., **117**, 119
Tomato, **193**, 199, 205, 208, 218
  Callus tissue, 193
  Chromosome size, 208
  Cross-sterility, 194, 208
  Cytogenetic studies, **193**
  Domesticated species, 207
  Fertility, 194–197, 206, 208
  Fruit, placental tissue of, 194
  Genetic observations, **206**
  Haploid, **194**, **200**–202, 204, 205, 207, 208
  Micromorphological observations, **203**
  Pollen abortion, 193, 195, 197, 198
  Pollen sterility, 198, 203
  Self-fertilization, 194, 208
  Sterility, 193–198, 206, 208
  Tetraploid, **193**, **194**, **195**, **196**–198, **200**, 201, **202**–209
    Anaphase, **202**, 208
    Artificial production, 193, 194
    Breeding behavior, 208
    Chromosome pairing, 207–209
    Conjugation, 207
    Cytological behavior, 204
    Cytological observations, **198**
    Decapitation-callus method, 194, 197, 201, 205, 208
    Diplotene, 199, 200, 202, 204
    Disjuction, **202**
    From F_1 of species cross, **196**
    Gene
      Compound-cluster, 195
      Dwarf, 193, 195
      Ovate, 195
      Peach, 195
      Potato-leaf, 193
    Metaphase, 199, 201–205, 208
Tomato (Continued)
  Tetraploid (Continued)
    Micromorphological observations, **203**, 205
    Pachytene, 200
    Parasynaptic pairing, 200
    Pollen development, 208
    Pollen diameter, 205
    Seed development, 208
    Segregation, 206, 209
    Species cross, **202**, 204–206
      Genetic behavior, 206
    Species hybrid, 203, 204, 207
    Synapsis, 200
    Variety
      Marglobe, 195
      Model, 193, 197
    Wild species, 207
Toronto, University of, **210**
Tradescantia, **53**–55, 59, 61–67, 406, **408**
  bracteata, 53–55, 59, 64
  Chiasma frequency, 63
  Chromosome pairing, **53**
  edwardsiana, 53–59, 61–64, 66
  Fertility, 56, 57, 66
  Fertilization, 46, 49
  fluminensis, 391
  gigantea, 53, 55
  occidentalis, 53, 55, 62
  pilosa, 55
  reflexa, 53, 55, 58, 59, 62, 63, 66
  Segmental interchange, 62–64, 66
  virginiana, 390, 391
Translocation, 261, 262, 286, 287, 289
Trenner pipette, 372
Triticum, 313
TROWBRIDGE, P. F., 226, 232, 237
Tsuga, **121**, **123**, 125, 128
  canadensis, 123, 124
  Chiasma formation, **121**–123, 125–128
  Chiasmata and chromatids, **123**
  Diakinesis, 123, 125
  Terminalization, 123, 128
Tulipa, 307, 309, 391
TURRILL, W. B., 311
Twins, identical, 144, 145

ULLMAN, 131
Ultra-violet light, 29
UNGER, 130, 131
University
  California, **221**, 224, 230, 240, **388**, **487**, 493, **522**, **531**
  Chicago, 522
  Cornell, **535**
  Harvard, 53, **95**, **324**, 335, 338
  Johns Hopkins, 415
  Michigan, 58, **293**
    Botanical Garden, 58
  Minnesota, **82**
  Moscow State, Zoological Institute, **117**
  Oklahoma, **129**
  Texas, **32**
  Toronto, **210**
Urtica gracilis, 391
Uvularia, 407

VAN OVEREM, 308
VERHULST, P. F., 103
Vertebrates, 218
VILMORIN, DE, R., 324
Vitamin A, 71
VRIES, DE, H., 293, 294, 310, 312

WAGNON, K., 248
WALLACE, R., 457, 472
WARE, J. O., 330
WARREN, D. C., 68, 82, 83, 91, 210, 211, 215–218
WATSON, J. A. S., 447
WEBB, H. F., 448, 449
WEBBER, J. M., 493
WEBER, A. D., 441, 472
WEIER, E., 296
WEINSTEIN, A., 275
WENRICH, D. H., 121–123, 127, 390, 406, 410
WENTWORTH, E. N., 441, 444, 445, 448, 456, 472, 479
WETTSTEIN, VON, F., 536
WHITING, P. W., 535
WIETZ, W., 130
Will certified pipette, 372
WILSON, I., 133
WILSON, J., 457
WINCHESTER, A. M., 37
WINGE, Ö., 295, 311
WINKLER, H., 193, 311
WRIEDT, C., 92, 446, 447, 457, 465–467
WRIGHT, S., 221, 222, 238, 244, 246, 433, 447, 484
WYCKOFF, R. W. G., 1

X-ray, 1–6, 10–13, 15–18, 21, 22, 25, 28, 29, 32, 33, 35–40, 42–45, 48, 50, 51, 63, 173, 174, 180–182, 189, 191
Xanthophyll, 71, 329, 332

Yak, 465
YASUI, K., 312
Yeast, 30

Zea, 53, 60, 61, 63, 66, 179, 307–309, 408, 409
  Crossing over, 535, 536, 542, 546
  Crossing over in triploids, 545
  Double strand crossing over, 536, 544, 554
  Fertilization, 546
  Floury-flinty endosperm, 538
  Gene
    Green seedling, 537, 539
    Purple, 537, 538, 540, 542, 543
    Red, 537, 538
    Virescent seedling, 537
  Origin of a 32 chromosome plant, 543
  Self-pollination, 542
  Trisomic ratios, 544
Zebu, 465
Zeiss apochromatic, 392
ZELENY, C., 23
ZIRKLE, C., 98
Zoological Institute of Moscow State University, 117